



# भारत का गज़त्र The Gazette of India

असाधारण  
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)  
PART II—Section 3—Sub-Section (ii)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 572]

नई दिल्ली, गुरुवार, नवम्बर 4, 1988/कार्तिक 13, 1910

No. 572 | NEW DELHI, FRIDAY, NOVEMBER 4, 1988/KARTIKA 13, 1910

इस भाग में भिन्न पृष्ठ संख्या वी जाती है जिससे यह असग संकलन के रूप में  
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a  
separate compilation

वित्त मंत्रालय

(ग्राहिक कार्य विभाग)

नई दिल्ली, 4 नवम्बर, 1988

अधिसूचनाएँ

का. आ. 1023(अ)।—केन्द्रीय सरकार, सिक्का-निर्माण अधिनियम, 1906 (1906 का 3) की धारा 7 के माध्य पठित धारा 21 की उपधारा (1) द्वारा प्रदत्त मक्षियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :—

1. संक्षिप्त नाम और प्रारंभ — (1) इन नियमों का संक्षिप्त नाम एक सौ रुपये (जिसमें 50 प्रतिशत चांदी, 40 प्रतिशत तांबा, 5 प्रतिशत निकैल और 5 प्रतिशत जस्त हो), बीस हप्ते, पांच रुपये और एक रुपया (जिसमें 75 प्रतिशत तांबा और 25 प्रतिशत निकैल हो) के सिक्कों का जवाहर लाल नेहरू जन्मशती की मूर्ति में निर्माण (स्मारक-सिक्कों का मानक वजन और उपचार), नियम, 1 88 है।

(2) ये 14 नवम्बर, 1988 को प्रवृत्त होंगे।

2. जवाहर लाल नेहरू की मूर्ति में कतिपय अंकित मूल्य के सिक्कों का मानक वजन और उन पर अनुशास उपचार :— जवाहर लाल नेहरू जन्मशती की मूर्ति में उक्त अधिनियम की धारा 6 के उपबन्धों के अधीन निर्मित निम्नलिखित अंकित मूल्य के सिक्कों का मानक वजन और ऐसे सिक्कों के बनाने में अनुशास उपचार नीचे सारणी में विविधरूप में होगा :—

## सारणी

अंकित मूल्य	मानक वजन	अनुशासित उपचार	
		संरचना में	मानक वजन में
1	2	3	4
एक सौ रुपये	35 ग्राम	चांदी के लिए $2/1000$ या—अर्थात् चांदी की मात्रा 498 से 502 तक प्रति हजार हो सकती है।	1/100 या—अर्थात् वजन 34.65 ग्राम से 35.35 ग्राम तक हो सकता है।
बीस रुपये	25 ग्राम	तांबा और निकैल दोनों के लिए 1/100 या—अर्थात् तांबा 74 प्रतिशत से 76 प्रतिशत तक और निकैल 24 प्रतिशत से 26 प्रतिशत तक हो सकता है।	1/40 या—अर्थात् वजन 24.375 ग्राम से 25.625 ग्राम तक हो सकता है।
पाँच रुपये	12.5 ग्राम	तांबा और निकैल दोनों के लिए 1/100 या—अर्थात् तांबा 74 प्रतिशत से 76 प्रतिशत तक और निकैल 24 प्रतिशत से 26 प्रतिशत तक हो सकता है।	1/40 या—अर्थात् वजन 12.187 ग्राम से 12.812 ग्राम तक हो सकता है।
एक रुपया	6 ग्राम	तांबा और निकैल दोनों के लिए 1/100 या—अर्थात् तांबा 74 प्रतिशत से 76 प्रतिशत तक और निकैल 24 प्रतिशत से 26 प्रतिशत हो सकता है।	1/10 या—अर्थात् वजन 5.850 ग्राम से 6.150 प्रतिशत ग्राम तक हो सकता है।

[सं. का. 1/6/87-कांक-1(1)]

MINISTRY OF FINANCE  
(Department of Economic Affairs)  
New Delhi, the 4th November, 1988

## NOTIFICATIONS

S.O. 1023(E).—In exercise of the powers conferred by sub-section (1) of section 21, read with section 7, of the Coinage Act, 1906 (3 of 1906), the Central Government hereby makes the following rules, namely :—

1. Short title and commencement. —(1) These rules may be called the Coinage (Standard Weight and Remedy of the Commemorative Coins) of One Hundred Rupees (containing Silver 50%, Copper 40%, Nickel 5% and Zinc 5%), Twenty Rupees, Five Rupees and One Rupee (containing Copper 75% and Nickel 25%), coined in commemoration of Jawaharlal Nehru Centenary, Rules, 1988.

(2) They shall come into force on the 14th day of November, 1988.

2. Standard Weight and Remedy allowed on coins of certain denominations coined in Commemoration of Jawaharlal Nehru Centenary :—The Standard weight of the coins of the following denominations, coined under the provisions of section 6 of the said Act, in commemoration of Jawaharlal Nehru Centenary, and the remedy allowed in making of such coins shall be as specified in the Table below.

## TABLE

Denomination	Standard Weight	Remedy Allowed	
		In composition	In Standard Weight
1	2	3	4
One Hundred Rupees	35 grammes	2/1000th plus or minus for silver, that is to say, the silver contents could vary from 498 to 502 per thousand.	1/100th plus or minus that is to say, the weight could vary from 34.65 grammes to 35.35 grammes.

1	2	3	4
Twenty Rupees	25 grammes	1/100th plus or minus both for copper and nickel, that is to say, copper could vary from 74% to 76% and nickel from 24% to 26%.	1/40th plus or minus that is to say, the weight could vary from 24.375 grammes to 25.625 grammes.
Five Rupees	12.5 grammes	1/100th plus or minus both for copper and nickel, that is to say, copper could vary from 74% to 76% and nickel from 24% to 26%.	1/40th plus or minus that is to say, the weight could vary from 12.187 grammes to 12.812 grammes.
One Rupee	6 grammes	1/100th plus or minus both for copper and nickel, that is to say, copper could vary from 74% to 76% and nickel from 24% to 26%.	1/40th plus or minus that is to say, the weight could vary from 5.850 grammes to 6.150 grammes.

[No. F. 1/6/87-Conn 11(1)]

का. आ. 1024(अ).—केन्द्रीय सरकार, सिक्का-निर्माण अधिनियम, 1906 (1906 का 3) की धारा 6 द्वारा प्रदत्त शर्तयों का प्रयोग करने हुए यह विविधता करती है कि :—

(क) जवाहर लाल नेहरू की समृद्धि में केन्द्रीय सरकार के प्राधिकार के अधीन जारी करने के लिए निम्नलिखित अंकित मूल्य के सिक्कों का निर्माण टकमाल में ही किया जाएगा, अर्थात् :—

- (1) एक सौ रुपये,
- (2) बीस रुपये,
- (3) पाँच रुपये,
- (4) एक रुपया;

(ख) उपरोक्त अंकित मूल्य के सिक्के निम्नलिखित विमा, डिजाइन और संरचना के अनुस्पष्ट होंगे अर्थात् :—

सिक्के का अंकित मूल्य	रूप और बालू व्यास	मिरेशन की मात्रा	धातु	संरचना
एक सौ रुपये	गोल 44 मिलीमीटर	200	चतुर्थक चांदी तांबा निकैल जस्ता	मिश्र धातु 50 प्रतिशत 40 प्रतिशत 5 प्रतिशत 5 प्रतिशत
बीस रुपये	गोल 39 मिलीमीटर	180	ताम्र निकैल तांबा निकैल	75 प्रतिशत 25 प्रतिशत
पाँच रुपये	गोल 31 मिलीमीटर	150	ताम्र-निकैल तांबा निकैल	75 प्रतिशत 25 प्रतिशत
एक रुपया	गोल 26 मिलीमीटर	204	ताम्र-निकैल तांबा निकैल	75 प्रतिशत 25 प्रतिशत

डिजाइन :—

एक सौ रुपये :

भुव भाग : हम और सिक्के पर अशोक स्तंभ का मिह शीर्ष होगा जिसके नीचे "मत्यमेव जयते" इवारन अंतर्लिखित होगी, उसकी ऊपरी परिधि के बाईं ओर "भारत" शब्द होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में "इण्डिया" शब्द होगा। उस पर

ग्रन्तर्गतीय अंकों में अंकित मूल्य “100” होगा और निचली परिधि के बाईं ओर “रूपये” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “रुपीज” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

पृष्ठ भाग : इस ओर सिक्के पर जवाहर लाल नेहरू की मूर्ति होगी, जिसकी ऊपरी परिधि के बाईं ओर हिन्दी में “जवाहर लाल नेहरू” नाम होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “जवाहर लाल नेहरू” नाम होगा । “1989” अंक मूर्ति के नीचे दर्शित किए जाएंगे और निचली परिधि के बाईं ओर “जन्मशती” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “सेंटीनरी” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

#### बीम रूपये :

मुख भाग : इस ओर सिक्के पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे “सत्यमेव जयते” इवारत अंतर्लिखित होगी, उसकी ऊपरी परिधि के बाईं ओर “भारत” शब्द होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “इण्डिया” शब्द होगा । उस पर अन्तर्गतीय अंकों में अंकित मूल्य “20” होगा और निचली परिधि के बाईं ओर “रूपये” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “रुपीज” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

पृष्ठ भाग : इस ओर सिक्के पर जवाहर लाल नेहरू की मूर्ति होगी जिसकी ऊपरी परिधि के बाईं ओर हिन्दी में “जवाहर लाल नेहरू” नाम होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “जवाहर लाल नेहरू” नाम होगा । “1989” अंक मूर्ति के नीचे दर्शित किए जाएंगे और निचली परिधि के बाईं ओर “जन्मशती” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “सेंटीनरी” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

#### पाच रूपये :

मुख भाग : इस ओर सिक्के पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे “सत्यमेव जयते” इवारत अंतर्लिखित होगी, उसकी ऊपरी परिधि के बाईं ओर “भारत” शब्द होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “इण्डिया” शब्द होगा । उस पर अन्तर्गतीय अंकों में अंकित मूल्य “5” होगा और निचली परिधि के बाईं ओर “रूपये” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “रुपीज” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

पृष्ठ भाग : इस ओर सिक्के पर जवाहर लाल नेहरू की मूर्ति होगी, जिसकी ऊपरी परिधि के बाईं ओर हिन्दी में “जवाहर लाल नेहरू” नाम होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “जवाहर लाल नेहरू” नाम होगा । “1989” अंक मूर्ति के नीचे दर्शित किए जाएंगे और निचली परिधि के बाईं ओर “जन्मशती” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “सेंटीनरी” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

#### एक रूपये :

मुख भाग : इस ओर सिक्के पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे “सत्यमेव जयते” इवारत अंतर्लिखित होगी, उसकी ऊपरी परिधि के बाईं ओर “भारत” शब्द होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “इण्डिया” शब्द होगा । उस पर अन्तर्गतीय अंकों में अंकित मूल्य “1” होगा और निचली परिधि के बाईं ओर “रूपया” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “रुपी” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

पृष्ठ भाग : इस ओर सिक्के पर जवाहर लाल नेहरू की मूर्ति होगी, जिसकी ऊपरी परिधि के बाईं ओर हिन्दी में “जवाहर लाल नेहरू” नाम होगा और ऊपरी परिधि के दाईं ओर अंग्रेजी में “जवाहर लाल नेहरू” नाम होगा । “1989” अंक मूर्ति के नीचे दर्शित किए जाएंगे और निचली परिधि के बाईं ओर “जन्मशती” शब्द होगा और निचली परिधि के दाईं ओर अंग्रेजी में “सेंटीनरी” शब्द होगा । सिक्के की बाल्य सीमा पर 100 बीड़ होंगे ।

[सं. फा. 1/6/87-काहन-II(2)]

ए. एन. समीना, अवर मणिव

S.O. 1024(E) :—In exercise of the powers conferred by section 6 of the Coinage Act, 1906 (3 of 1906), the Central Government hereby determines that :—

(a) coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government in commemoration of Jawaharlal Nehru Centenary, namely :—

- (1) One Hundred Rupees.
- (2) Twenty Rupees.
- (3) Five Rupees.

## (4) One Rupee;

(b) the coins of the above denominations shall conform to the following dimensions, designs and composition, namely :—

Denomination of the coin	Shape and outside diameter	Number of serrations	Metal	Composition
One Hundred Rupees	Circular 44 millimetres	200	Quaternary Silver Copper Nickel Zinc	Alloy 10% 10% 5% 5%
Twenty Rupees	Circular 39 millimetres	180	Cupro-Nickel Copper Nickel	75% 25%
Five Rupees	Circular 31 millimetres	150	Cupro-Nickel Copper Nickel	75% 25%
One Rupee	Circular 26 millimetres	204	Cupro-Nickel Copper Nickel	75% 25%

## DESIGNS :

## ONE HUNDRED RUPEES :

Obverse : This face of the coin shall bear the Lion Capital of Ashoka pillar with legend “सत्यमेव जयते” inscribed below, flanked on the left upper periphery with the word “भारत” and on the right upper periphery with the word “INDIA”. It shall also bear the denominational value “100” in international numerals flanked on the left lower periphery with the word “रुपये” and on the right lower periphery with the word “RUPEES”. There shall be 100 beads on the periphery of the coin.

Reverse : This face of the coin shall bear the effigy of Jawaharlal Nehru with the name “जवाहरलाल नेहरु” in Hindi on the left upper periphery and “JAWAHARLAL NEHRU” in English on the right upper periphery. The figure “1989” shall be shown below the effigy flanked with the word “जन्मशती” on the left lower periphery and the word “CENTENARY” on the right lower periphery. There shall be 100 beads on the periphery of the coin.

## TWENTY RUPEES :

Obverse : This face of the coin shall bear the Lion Capital of Ashoka pillar with legend “सत्यमेव जयते” inscribed below, flanked on the left upper periphery with the word “भारत” and on the right upper periphery with the word “INDIA”. It shall also bear the denominational value “20” in international numerals flanked on the left lower periphery with the word “रुपये” and on the right lower periphery with the word “RUPEES”. There shall be 100 beads on the periphery of the coin.

Reverse : This face of the coin shall bear the effigy of Jawaharlal Nehru with the name “जवाहर लाल नेहरु” in Hindi on the left upper periphery and “JAWAHARLAL NEHRU” in English on the right upper periphery. The figure “1989” shall be shown below the effigy flanked with the word “जन्मशती” on the left lower periphery and the word “CENTENARY” on the right lower periphery. There shall be 100 beads on the periphery of the coin.

## FIVE RUPEES :

Obverse : This face of the coin shall bear the Lion Capital of Ashoka Pillar with legend “सत्यमेव जयते” inscribed below, flanked on the left upper periphery with the word “भारत” and on the right upper periphery with the word “INDIA”. It shall also bear the denominational value “5” in international numerals flanked on the left lower periphery with the word “रुपये” and on the right lower periphery with the word “RUPEES”. There shall be 100 beads on the periphery of the coin.

Reverse : This face of the coin shall bear the effigy of Jawaharlal Nehru with the name “जवाहरलाल नेहरु” in Hindi on the left upper periphery and “JAWAHARLAL NEHRU” in English on the right upper periphery. The figure “1989” shall be shown below the effigy flanked with the word “जन्मशती” on the left lower periphery and the word “CENTENARY” on the right lower periphery. There shall be 100 beads on the periphery of the coin.

## ONE RUPEE :

**Obverse :** This face of the coin shall bear the Lion Capital of Ashoka pillar with legend “सत्यमेव जयते” inscribed below, flanked on the left upper periphery with the word “भारत” and on the right upper periphery with the word “INDIA”. It shall also bear the denominational value “1” in international numeral flanked on the left lower periphery with the word “रुपया” and on the right lower periphery with the word “RUPEE”. There shall be 100 beads on the periphery of the coin.

**Reverse :** This face of the coin shall bear the effigy of Jawaharlal Nehru with the name “जवाहरलाल नेहरू” in Hindi on the left upper periphery and “JAWAHARLAL NEHRU” in English on the right upper periphery. The figure “1989” shall be shown below the effigy flanked with the word “जन्मकाली” on the left lower periphery and the word “CENTENARY” on the right lower periphery. There shall be 100 beads on the periphery of the coin.

[No. F. 1/6/87-Coin II(2)]

A.N. SAXENA, Under Secy.